VAXXON® Clone

Protection right from the start

- Effective protection against ND
- Safe and easy to use from 1 day old onwards





Protection right from the start

Newcastle Disease (ND) is caused by virulent strains of avian paramyxovirus type 1 (APMV-1) of the genus Avulavirus which belongs to the family Paramyxoviridae. The ND virus (NDV) has shown to be able to infect over 200 species of birds, but the severity of the disease produced varies with both the host and the strain of the virus. Even APMV-1 strains of low virulence may induce severe respiratory diseases when exacerbated by the presence of other organisms or by adverse environmental conditions. Since its recognition in 1926, ND is regarded as being endemic in many countries (www.oie.int).

VAXXON® Clone - Protection right from the start



Target Species

Chicken

Indications

1000 ds. & **2500** ds. The active immunization and the reduction of mortality against Newcastle Disease in chickens. From 1 day of age onwards, with or without maternally derived antibodies.

Dosage and method of administration:

Each vial contains 1,000 ds or 2,500 ds of vaccine in white freeze-dried tablet form. Administer by eye drop, spray or via drinking water.

1 day of age

First administration: 1 day of age (spray or eye drop)

Second administration: 2-3 weeks later

Booster: every 2-3 months, in layers or breeders

Immunological properties

 $\rm VAXXON^{\circledcirc}$ Clone is a live attenuated vaccine that contains the strain Clone against Newcastle Disease.



Shelf life

The product in the original packaging can be used until 24 months from the manufacturing date. After opening the vial, the product must be used within 2 hours.



Storage conditions

Store and transport refrigerated (+2°C to +8°C).

DISCLAIMER

This brochure may contain information or may show or refer to products and/or services which are only available in certain countries. A reference to any product/service in this brochure does not imply that such product or such product with the same specifications et cetera, is or will be available at your location. Any product shown or referred to in this brochure may be subject to different regulatory requirements depending on the country of use. Please contact your local Vaxxinova representative for more information.

Vaxxinova International BV does not give any warranty or other assurance as to the content of this brochure, its accuracy, completeness, timelessness or fitness for any particular purpose. To the full extent permissible by law, Vaxxinova International BV disclaims all responsibility for any damages or losses (including without limitation, financial loss, damages for loss in business projects,

loss of profits or other consequential losses) arising in contract, tort or otherwise from the use of inability to use any material of Vaxxinova, or from any action or decision taken as a result of using Vaxxinova's materials. Vaxxinova disclaims all responsibility and liability (including for negligence) in relation to information mentioned in Vaxxinova's materials. This document or its content is not to be copied or further distributed without the consent of Vaxxinova International BV.

VAXXINOVA, VAXXON and GOVAXX are registered trademarks of Vaxxinova International B.V. (the Netherlands).

Version 3 2024.03 120618



Scan for more Vaxxinova vaccine solutions



Vaxxinova International BV

Transistorweg 5 6534 AT Nijmegen The Netherlands +31 24 20 48 600 www.vaxxinova.com

